according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 **BioProtect RTU** SECTION 1 : Identification of the substance/mixture and of the supplier Product name : Manufacturer/Supplier **BioProtectRTU** Trade name: Manufacturer/Supplier Article number: **BioProtectRTU** Recommended uses of the product and uses restrictions on use : Manufacturer Details: ViaClean Technologies, LLC. 230 S Broad Street, Suite 1201 Philadelphia PA, 19102 877-447-5956 Emergency telephone number: Infotrac 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:

Not classified for physical or health hazards under GHS.

Hazard statements:

Precautionary statements:

If medical advice is needed, have product container or label at hand Read label before use

Other Non-GHSClassification:





HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

| Ingredients: | | | |
|----------------|---|-----------------|-----------|
| CAS 27668-52-6 | 3-(Trihydroxysilyl) propyldimenhyloctadecyl ammonium chloride | | <1 % |
| | | Percentages are | by weight |

WHMIS **NFPA/HMIS** Page 1 of 6

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

BioProtect RTU

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance ifcough or other symptoms appear.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seekmedical advice ifdiscomfortorirritationpersists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation. headache. nausea. shortness of breath.

Indication of any immediate medical attention and special treatmentneeded:

If seeking medicalattention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishingmedia

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance ormixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Wear protective eyeware, gloves, and clothing. Refer to Section 8.Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

| Ensure ad | equate ventilation | . Ensure that air-handling | systems are | operational. |
|-----------|--------------------|----------------------------|-------------|--------------|
| F | | | | |

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.Always obey local regulations. Containerize for disposal. Refer to Section 13.If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8.Follow proper disposal methods. Refer to Section 13.Do not eat, drink, smoke, or use personal products when handling chemical substances.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 3 of 6

BioProtect RTU

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical

damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8 : Exposure controls/personal protection **Control Parameters:** No applicable occupational exposure limits Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. **Respiratory protection:** Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment. Select glove material impermeable and resistant to the substance .Select Protection ofskin: glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing. Wear equipment for eye protection tested and approved under Eye protection: appropriate government standards such as NIOSH (US) or EN 166(EU).Safety glasses or goggles are appropriate eye protection. General hygienicmeasures: Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing.

SECTION 9 : Physical and chemical properties

| Appearance (physical | Clear, colorless liquid | Explosion limit lower: Explosion limit upper: | Not determined Not determined |
|---------------------------------|-------------------------|--|----------------------------------|
| Odor: | Mild | Vapor pressure: | Not determined |
| Odor threshold: | Not determined | Vapor density: | Not determined |
| pH-value: | Approx. 5.0 | Relative density: | 1.003 |
| Melting/Freezing point: | Not determined | Solubilities: | Material is water soluble. |
| Boiling point/Boiling range: | Above 210F | Partition coefficient (n- octanol/water): | Not determined |
| Flash point (closed cup): | Not determined | Auto/Self-ignition temperature: | Not determined |

according to 29CFR1910/1200 and GHS Rev. 3

| Effective date : 10.24.2 | 2014 | | Page 4 of 6 | |
|--------------------------|----------------|--------------------------------|-----------------------------|--|
| BioProtect RTU | | | | |
| Evaporation rate: | Not determined | Decompositio n temperature: | Not determined | |
| | | | | |
| Flammability | Not determined | Viscosity: | a. Kinematic:Not determined | |

| (solid,gaseous) | Not determined | Viscosity: | b. Dynamic: Not determined |
|-------------------------|----------------|------------|----------------------------|
| Density: Not determined | | | |

SECTION 10 : Stability and reactivity

Reactivity: Nonreactiveundernormalconditions.

Chemical stability: Stable under normal conditions.

Possible hazardous reactions: None under normal processing.

Conditions to avoid: Incompatible materials. Do not mix with cleaners, do not freeze, and avoid heat.

Incompatible materials: Sodium oxidizers

Hazardousdecompositionproducts:

SECTION 11 : Toxicological information

| Acute Toxicity: No additional information. | | |
|--|----------------------------|--|
| Chronic Toxicity: No additional information. | | |
| Corrosion Irritation: No additional information. | | |
| Sensitization: | No additional information. | |
| Single Target Organ (STOT): | No additional information. | |
| Numerical Measures: | No additional information. | |
| Carcinogenicity: | No additional information. | |
| Mutagenicity: | No additional information. | |
| Reproductive Toxicity: | No additional information. | |

SECTION 12 : Ecological information

Ecotoxicity Persistence anddegradability: Bioaccumulative potential: Mobility in soil: Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposalrecommendations:

Contact a licensed professional waste disposal service to dispose of this material Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14 : Transport information

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Page 5 of 6

BioProtect RTU

UN-Number

Not Regulated.

UN proper shipping name

Not Regulated.

Transport hazard class(es) Packing group: Not Regulated Environmental hazard: Transport in bulk: Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients is listed

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous wastecode):

None of the ingredients is listed

TSCA(Toxic Substances Control Act):

All ingredients arelisted.

CERCLA(Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California): Chemicals

known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity forfemales:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmentaltoxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients arelisted.

Canadian NPRIIngredient Disclosurelist(limit 0.1%):

None of the ingredients is listed

Canadian NPRIIngredient Disclosurelist(limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Page 6 of 6

BioProtect RTU

SDS contains all the information required by the Controlled Products Regulations. Note:. The responsibility toprovide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material .It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material. GHS Full Text Phrases: Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods IATA: International Air TransportAssociation GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) CFR: Code of Federal Regulations (USA) SARA: Superfund Amendments and Reauthorization Act (USA) RCRA: Resource Conservationand Recovery Act(USA) TSCA: Toxic Substances Control Act (USA) NPRI: National Pollutant Release Inventory (Canada) DOT: US Department of Transportation

Effective date : 10.24.2014 **Last updated** : 04.30.2015





KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Manufactured by: PureShield Inc., 1445 Jupiter Park Drive, Suite 11, Jupiter, FL 33458

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of Bio-Protect AM50 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of Bio-Protect AM50.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Bio-Protect AM50 can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities.

- 1. Prior to fogging, remove and carefully protect all food products and packaging materials.
- 2. Fog areas using one gallon per 1000 cu. ft. of room area.
- 3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Bio-Protect AM50 when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of Bio-Protect AM50 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool

- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional, non-food contact sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lyrca
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethyiene, polyolefins, polyptopylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles, ship sails, buses, trains, ships, boats and airplanes and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional, non-food contact sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lyrca
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers

- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethyiene, polyolefins, polyptopylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

For Pump Spray Application: Using pump sprayer, spray entire area 4"-6"s from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth of sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon or in accordance with the table below:

| Amount of Bio-Protect | Pint | Quart | ¹ / ₂ Gallon | One Gallon |
|-----------------------|------------|------------|------------------------------------|-------------|
| AM 50 | 16 fl. Oz. | 32 fl. Oz. | 64 fl. Oz. | 128 fl. Oz. |
| Area to be Treated | 25 sq. ft. | 50 sq. ft. | 100 sq. ft. | 200 sq. ft. |

When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaner, electrostatic sprayers, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), (for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer.) If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in Bio-Protect AM50 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

| | Pest | Method of Application |
|-----------------------------|----------------|---|
| | controlled | |
| Bed sheets, blankets, | Odor-causing | DIP/SOAK: Use appropriate sized wash basin or tub for |
| bedspreads, curtains, | bacteria, | dipping/soaking the item you are treating. Use enough Bio- |
| draperies (washable | bacteria | Protect AM50 solution to completely submerge item. Keep |
| only), underwear, | which cause | item in solution for 3 minutes. Remove item and wring |
| socks, intimate | staining and | excess liquid from treated item. For larger items (e.g. |
| apparel, hosiery, | discoloration, | bedspreads, curtains, draperies), place in washing machine |
| throw rugs, toweling, | and fungi | on spin cycle to aid in the removal of excess liquid. Test |
| toilet tank covers, | (mold and | staining and color-fastness of fabric and carpets by treating |
| shower curtains, shoe | mildew) | and drying a small concealed area prior to application. Do |
| insoles, outerwear | | not reuse solution after dipping/soaking. Dry treated articles |
| apparel (jackets, | | before use. Substrates can be hang-dried at room temperature |
| sweaters, sweatshirts, | | or at temperatures to a maximum of 160°C (320°F); (for |
| coats, raincoats, | | example, in a clothes dryer). If necessary, reapply Bio- |
| overcoats, jerseys, | | Protect AM50 every three months or when odor, staining and |
| ponchos). Bio- | | discoloration due to bacteria, mold stains, and mildew stains |
| Protect AM50 can be | | return. |
| applied to fabrics | | |
| made of acetates, | | SPRAY: Clean surface prior to application. Using a trigger |
| acrylics, cotton, | | pump sprayer or pressure sprayer, spray the entire surface |
| fiberglass, linen, | | area 4"-6" from the surface, making sure the surface is |
| Lycra, nylon, orlon, | | completely covered. Let stand until dry or let stand 3 minutes |
| polyester, | | and wipe dry with cloth or sponge. If spotting occurs, wipe |
| polyester, polyethylene, | | with moist cloth or sponge. Test staining and color-fastness |
| polyolefin, | | of fabric by treating and drying a small concealed area prior |
| | | |
| polypropylene, rayon, | | to application. If necessary, reapply Bio-Protect AM50 every |
| silk, spandex, vinyl, | | three months or when odor, staining and discoloration due to |
| and wool. | | bacteria, mold stains, and mildew stains return. |
| | | |
| | | |
| | | |

| | Pest | Method of Application |
|---|------------------------|--|
| Air filters and air | controlled | SDD A V. When treating filters, remove filter from the writ |
| filter material for: | Odor-causing bacteria, | SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the |
| | bacteria | entire surface area 4"-6" from the surface, making sure the |
| •Furnaces, air conditioners | which cause | surface is completely covered. Apply and then let stand until |
| | staining and | dry. If necessary, reapply Bio-Protect AM50 every three |
| •Air purification | discoloration, | months or when odor, staining and discoloration due to |
| systemsAutomobiles | fungi (mold | bacteria, mold stains, mildew stains, and algae stains return. |
| | and mildew), | oucleria, more stants, mildew stants, and argue stants retarn. |
| •Recalculating air | and algae | |
| handling systemsVacuum cleaner | und angue | |
| • vacuum cleaner filters | | |
| | | |
| Aquariums | | |
| | Pest | Method of Application |
| | controlled | Method of Application |
| Carpeting | Odor-causing | SPRAY: Apply to clean carpet surface. Using a trigger |
| 1 0 | bacteria, | pump sprayer or pressure sprayer, spray the entire surface |
| | bacteria | area 4"-6" from the surface, making sure the surface is |
| | which cause | completely covered. For rotary jet extraction cleaners and |
| | staining and | carpet steamers, add the diluted Bio-Protect AM50 solution |
| | discoloration, | directly to the cleaning tank, then operate the equipment in |
| | and fungi | accordance with manufacturer's instructions. Apply and then |
| | (mold and | let stand until dry. Test staining and color-fastness of carpets |
| | mildew) | by treating and drying a small concealed area prior to |
| | | application. Bio-Protect AM50 treats approximately 200 |
| | | square feet per gallon (50 square feet per squart). When |
| | | treating coarser substrates (e.g., wool carpeting), more Bio- |
| | | Protect AM50 may be required due to absorption. Dry carpet |
| | | areas and surfaces before re-entry. A fan may be used to |
| | | assist in drying carpeting. Remove children and pets from |
| | | treated area until completely dried. If necessary, reapply Bio- |
| | | Protect AM50 every three months or when odor, staining and |
| | | discoloration due to bacteria, mold stains, and mildew stains |
| | | return. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 7 |

| | Pest | Method of Application |
|--|---|---|
| Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool | controlled Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew) | SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return. |

| | Pest | Method of Application |
|--|--|--|
| | controlled | |
| Tents, tarpaulins, wood, sails, ropes. | Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae | SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and algae stains return. |
| | | |
| | Pest | Method of Application |
| | controlled | |
| Roofing materials | controlledOdor-causing | SPRAY: Make sure the roof is clean prior to application. |
| (such as shingles, | controlledOdor-causingbacteria, | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" |
| (such as shingles, roofing granules, | controlled Odor-causing bacteria, bacteria | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely |
| (such as shingles, roofing granules, wood shakes, felt, | controlled Odor-causing bacteria, bacteria which cause | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic | controlled Odor-causing bacteria, bacteria which cause staining and | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet |
| (such as shingles, roofing granules, wood shakes, felt, | controlledOdor-causingbacteria,bacteriawhich causestaining anddiscoloration, | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic | controlled Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic | controlled Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic | controlled Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic | controlled Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae Pest | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) | controlledOdor-causingbacteria,bacteriawhich causestaining anddiscoloration,fungi (moldand mildew),and algae | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. Method of Application |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Buffer pads | controlledOdor-causingbacteria,bacteriawhich causestaining anddiscoloration,fungi (moldand mildew),and algaeOdor-causing | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. Method of Application SPRAY: Clean surface prior to application. Using a trigger |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Buffer pads (polishing and | controlledOdor-causingbacteria,bacteriawhich causestaining anddiscoloration,fungi (moldand mildew),and algaePestcontrolledOdor-causingbacteria, | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Buffer pads (polishing and abrasive), | controlledOdor-causingbacteria,bacteriawhich causestaining anddiscoloration,fungi (moldand mildew),and algaePestcontrolledOdor-causingbacteria,bacteria | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. Method of Application SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is |
| (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Buffer pads (polishing and | controlledOdor-causingbacteria,bacteriawhich causestaining anddiscoloration,fungi (moldand mildew),and algaePestcontrolledOdor-causingbacteria, | SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface |

| household, non-food contact sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes | discoloration, and fungi (mold and mildew) | with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return. |
|---|---|---|
| | Pest controlled | Method of Application |
| Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl | Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew) | SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return. |

Optional Marketing Statements

Protects device [surface], [glass], [lenses] from the growth of [odor-causing microorganisms] [odor-causing bacteria]

Protects device [surface], [glass], [lenses] from the growth of [odor-causing microorganisms] [odor-causing bacteria] for up to 12 hours

Protects device [surface], [glass], [lenses] from the growth of [odor-causing microorganisms] [odor-causing bacteria] for up to 24 hours

Use on the surface of a [touchscreen], [electronic device], [glass], [lenses]

Bio-Protect AM is safe to use on [screen] [device] [touchscreen] [electronic device] glass.

Does not damage screens, including [touchscreen devices], [electronic devices], [device surfaces], [lenses]

Creates an invisible shield that inhibits the growth of [microorganisms], [microbes] and helps prevent the growth and spread of bacteria

Use Bio-Protect AM50 every 24 hours to ensure [continuous] [continual] [ongoing] [extended] protection.

Using Bio-Protect AM50 every 24 hours ensures [continuous] [continual] [ongoing] [extended] protection.

Bio-Protect AM50 inhibits the growth of microbes and protects your [device], [touchscreen device], [electronic device], [lenses] from the growth of odor-causing bacteria for up to 24 hours. Does not damage screens, including [touchscreen devices], [electronic devices], [device surfaces].

Mold free for up to 3 months

3 Months

Protection for indoor and outdoor use

Creates an invisible barrier to inhibit the growth of mold to keep indoor and outdoor surfaces mold free for up to 3 months

Reapply this product every 3 months to replenish barrier from mold and mildew

Waterproof

Water based and odor free

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew). Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Inhibits the growth of odor causing bacteria between cleanings.

Inhibits the growth of bacteria which cause staining and discoloration between cleanings.

Inhibits the growth of fungi (mold and mildew) between cleanings.

Inhibits the growth of algae between cleanings.

Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.

Mold, mildew, odor protector and inhibitor.

Bio-Protect AM50 is an antimicrobial agent effective against odor causing bacteria.

Bio-Protect AM50 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

Bio-Protect AM50 is an antimicrobial agent effective against fungi (mold and mildew).

Bio-Protect AM50 is an antimicrobial agent effective against algae.

Bio-Protect AM50, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in non-food contact areas in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

Bio-Protect AM50, and antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.

Bio-Protect AM50, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and non-food contact kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain,

Formica, stainless steel, synthetic marble.

Antimicrobial Surface Protectant



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read:** "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¹/₄ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING PURESHIELD INC. AT 1445 JUPITER PARK DRIVE, SUITE 11, JUPITER, FL 33458.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

PureShield Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. PURESHIELD INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.